

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : BATICHANVRE L

1.2. Relevant identified uses of the substance or mixture and uses advised against

N/A 1.3. Details of the supplier of the safety data sheet

Registered company name : CESA (Chaux et Enduits de Saint-Astier).

Address : 28 Bis route de Montanceix - La Jarthe.24110.Saint-Astier.France.

Telephone : +33(0)5.53.54.11.25. Fax : +33(0)5.53.04.67.91.

contact@saint-astier.com

www.saint-astier.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

May produce an allergic reaction (EUH208).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H335).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :

GHS05 GHS	07
Signal Word :	
DANGER	
Product identifiers : EC 266-043-4 EC 215-137-3	PORTLAND CEMENT CLINKER, CHEMICALS CALCIUM HYDROXIDE
Additional labeling : EUH208 EUH208	Contains TIN SULPHATE. May produce an allergic reaction. Contains KILN DUST FROM THE MANUFACTURE OF PORTLAND CEMENT CLINKER. May produce an allergic reaction.
Hazard statements :	
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
Precautionary statemen	ts - General :
P102	Keep out of reach of children.

Precautionary statements - Prevention :

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statements - Response :	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/
P332 + P313	If skin irritation occurs: Get medical advice/attention.
Precautionary statements - Disposal :	
P501	Dispose of contents/container in accordance with local regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Composition :			
Identification	(EC) 1272/2008	Note	%
INDEX: 65997 15 1	GHS07, GHS05	[1]	$50 \le x \% \le 100$
CAS: 65997-15-1	Dgr		
EC: 266-043-4	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
PORTLAND CEMENT CLINKER,	STOT SE 3, H335		
CHEMICALS			
INDEX: 1305 62 0	GHS07, GHS05	[1]	$25 \le x \% \le 50$
CAS: 1305-62-0	Dgr		
EC: 215-137-3	Skin Irrit. 2, H315		
REACH: 01-2119475151-45-0242	Eye Dam. 1, H318		
	STOT SE 3, H335		
CALCIUM HYDROXIDE			
INDEX: 7488 55 3	GHS07, GHS05, GHS08		$0 \le x \% \le 2.5$
CAS: 7488-55-3	Dgr		
EC: 231-302-2	Skin Irrit. 2, H315		
	Skin Sens. 1, H317		
TIN SULPHATE	Eye Dam. 1, H318		
	Acute Tox. 4, H332		
	STOT SE 3, H335		
	STOT RE 2, H373		
	Aquatic Chronic 3, H412		
INDEX: 7778 18 9		[1]	$0 \le x \% \le 2.5$
CAS: 7778-18-9			
EC: 231-900-3			
REACH: 01-2119444918-26			
SULFATE DE CALCIUM			
INDEX: 10101 41 4		[1]	$0 \le x \% < 2.5$
CAS: 10101-41-4			
SULPHATE DE CALCIUM DIHYDRATE			
•			+

INDEX: 68475_76_3	GHS07, GHS05		$0 \le x \% < 2.5$
CAS: 68475-76-3	Dgr		
EC: 270-659-9	Skin Irrit. 2, H315		
REACH: 01-2119486767-17	Skin Sens. 1, H317		
	Eye Dam. 1, H318		
KILN DUST FROM THE MANUFACT	URE OF STOT SE 3, H335		
PORTLAND CEMENT CLINKER			
INDEX: 471_34_1		[1]	$0 \le x \% < 2.5$
CAS: 471-34-1			
EC: 207-439-9			
CALCIUM CARBONATE			

Specific concentration limiter

Specific concentration limits:		
Identification	Specific concentration limits	ATE
INDEX: 1305_62_0		dermal: ATE = 2500 mg/kg BW
CAS: 1305-62-0		oral: ATE = 2000 mg/kg BW
EC: 215-137-3		
REACH: 01-2119475151-45-0242		
CALCIUM HYDROXIDE		

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation :

In the event of massive inhalation of dust, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES Non-flammable. 5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

Avoid inhaling dust.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Neutralise with an acidic decontaminant.

Retrieve the product by mechanical means (sweeping/vacuuming) : do not generate dust.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid inhaling dust.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

Avoid eye contact with this mixture at all times.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

CAS	VME-mg/m3 :	VME nnm ·	VLE-mg/m3 :	VIE nnm ·	Notes :	
	v with-mg/m3.	v witt-ppin.	v LL-mg/m5.	vLL-ppm.	Notes .	
1305-62-0	1	-	4	-	-	
- France (INRS - Ou	utils 65 / 2021-1	849, 2021-1763	3, decree of 09/1	2/2021):		
CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
1305-62-0	-	1	-	4	-	-
7778-18-9	-	10	-	-	-	-
10101-41-4	-	10	-	-	-	-
471-34-1	-	10	-	-	-	-
UK / WEL (Works	alace exposure l	imite EH40/20	05 Equith Editi	on 2020) ·		

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
65997-15-1	4 mg/m ³				
1305-62-0	1 mg/m ³	4 mg/m ³		Respirable fraction	
10101-41-4	4 mg/m ³				
471-34-1	10 mg/m3	-	-	-	TI

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

CALCIUM CARBONATE (CAS: 471-34-1)	
Final use:	Workers.
Exposure method:	Inhalation.
Potential health effects:	Long term local effects.
DNEL :	4.26 mg of substance/m3
Exposure method:	Inhalation.

Exposure method: Potential health effects: DNEL :

Final use:

Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL :

SULPHATE DE CALCIUM DIHYDRATE (CAS: 10101-41-4)

Final use: Exposure method: Potential health effects: DNEL : Workers. Inhalation. Long term local effects. 10 mg of substance/m3

Long term systemic effects.

10 mg of substance/m3

Long term local effects.

1.06 mg of substance/m3

Long term systemic effects.

10 mg of substance/m3

Consumers.

Inhalation.

Inhalation.

SUL	FATE	DE	CAL	CIUM	(CAS:	7778-18-	9)
	-						

Final use: Exposure method: Potential health effects: DNEL :

CALCIUM HYDROXIDE (CAS: 1305-62-0) **Final use:** Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL :

Final use:

Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL :

Predicted no effect concentration (PNEC):

CALCIUM CARBONATE (CAS: 471-34-1) Environmental compartment: PNEC :

CALCIUM HYDROXIDE (CAS: 1305-62-0) Environmental compartment: PNEC :

Environmental compartment: PNEC :

Environmental compartment: PNEC :

Environmental compartment: PNEC :

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

Workers. Inhalation. Long term local effects. 10 mg of substance/m3

Workers. Inhalation. Long term local effects. 1 mg of substance/m3

Inhalation. Short term local effects. 4 mg of substance/m3

Consumers. Inhalation. Short term systemic effects.

4 mg of substance/m3

Inhalation. Long term systemic effects. 1 mg of substance/m3

Waste water treatment plant. 100 mg/l

Soil. 1.080

Fresh water. 490

Sea water. 0.32

Fresh water sediment. 3.004

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex

- PVC (polyvinyl chloride)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

These clothes shall be chosen to ensure there is no inflammation or irritation of the skin at the neck and wrist by contact with the powder Suitable type of protective clothing :

Wear protective clothing against solid chemicals and particles suspended in the air (type 5) in accordance with standard EN13982-1/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid inhaling dust.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

Category :

- FFP1

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	
Physical state :	Powder or dust.
Colour	
Unspecified	
Odour	
Odour threshold :	Not stated.
Melting point	
Melting point/melting range :	Not specified.
Freezing point	
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	Not specified.
Flammability	
Flammability (solid, gas) :	Not stated.

Version 2.2 (22/08/2022) - Page 8/13

BATICHANVRE L

Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%) :	Not stated.
Explosive properties, upper explosivity limit (%) :	Not stated.
Flash point	
Flash point interval :	Not relevant.
Auto-ignition temperature	
Self-ignition temperature :	Not specified.
Decomposition temperature	
Decomposition point/decomposition range :	Not specified.
рН	
pH :	Not stated.
	Strongly basic.
pH (aqueous solution) :	Not stated.
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Insoluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	> 1
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to physical hazard classe	25
No data available.	
9.2.2. Other safety characteristics	
No data available.	
SECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended handling a	and storage conditions in section 7.
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
Avoid :	
- formation of dusts	
10.5. Incompatible materials	
No data available.	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	

11.1. Information on hazard classes as defined in	÷ · · /
May cause irreversible damage to the skin; name exposure up to four hours.	y inflammation of the skin or the formation of erythema and eschar or oedema following
May have irreversible effects on the eyes, such as the end of observation at 21 days.	tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by
Serious eye damage is typified by the destruction of	f cornea, persistent corneal opacity and iritis.
Respiratory tract irritation may occur, together with	n symptoms such as coughing, choking and breathing difficulties.
11.1.1. Substances	
Acute toxicity :	
CALCIUM CARBONATE (CAS: 471-34-1)	
Oral route :	LD50 > 2000 mg/kg Species : Rat
	OECD Guideline 420 (Acute Oral ToxicityFixed Dose Method)
Dermal route :	LD50 > 2000 mg/kg
	Species : Rat
	OECD Guideline 402 (Acute Dermal Toxicity)
Inhalation route (Dusts/mist) :	LC50 > 3 mg/l
	Species : Rat
	OECD Guideline 403 (Acute Inhalation Toxicity)
CALCIUM HYDROXIDE (CAS: 1305-62-0)	
Oral route :	LD50 = 2000 mg/kg
	Species : Rat
	OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)
Dermal route :	LD50 = 2500 mg/kg
	Species : Rabbit
	OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/skin irritation :	
CALCIUM HYDROXIDE (CAS: 1305-62-0)	OECD Critation 404 (Acres Dennes Limitation (Comparison)
	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
CALCIUM CARBONATE (CAS: 471-34-1)	
· · · · · · · · · · · · · · · · · · ·	Species : Rabbit
	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
	Species : Rabbit
	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Serious damage to eyes/eye irritation : CALCIUM CARBONATE (CAS: 471-34-1)	
CALCIUM CARDONALE (CAS: $4/1-34-1$)	Species : Rabbit
	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
	Species : Rabbit
	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
	Species : Rabbit

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) CESA (Chaux et Enduits de Saint-Astier)

BATICHANVRE L

	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
	Species : Rabbit OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Respiratory or skin sensitisation :	
CALCIUM CARBONATE (CAS: 471-34-1) Local lymph node stimulation test :	Non-Sensitiser. Species : Mouse OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Guinea Pig Maximisation Test (GMPT) :	Non-sensitiser. Species : Mouse OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Buehler Test :	Non-sensitiser. Species : Mouse OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Germ cell mutagenicity :	
CALCIUM CARBONATE (CAS: 471-34-1)	No mutagenic effect.
Mutagenesis (in vitro) :	Negative. OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Carcinogenicity :	
CALCIUM CARBONATE (CAS: 471-34-1) Carcinogenicity Test :	Negative. No carcinogenic effect. Species : Human
Reproductive toxicant :	
CALCIUM CARBONATE (CAS: 471-34-1)	
No toxic effect for reproduction Study on development :	Species : Rat OECD Guideline 422 (Combined Repeated Dose Toxicity Study with th Reproduction / Developmental Toxicity Screening Test)
specific target organ systemic toxicity - repeated ex	xposure :
CALCIUM CARBONATE (CAS: 471-34-1) Oral route :	
	C = 1000 mg/kg bodyweight/day Species : Rat
	Duration of exposure : 90 days OECD Guideline 422 (Combined Repeated Dose Toxicity Study with th Reproduction / Developmental Toxicity Screening Test)
Inhalation route :	C = 0.212 mg/litre/6h/day
	Species : Rat Duration of exposure : 90 days OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)
	OECD Outdenne 415 (Subenfonce finitation foxicity, 90-Day)

Duration of exposure : 90 days

Respiratory or skin sensitisation : Contains at least one sensitising substance. May cause an allergic reaction.		
11.2. Information on other hazards		
ECTION 12 : ECOLOGICAL INFORMATION		
12.1. Toxicity		
12.1.1. Substances		
CALCIUM HYDROXIDE (CAS: 1305-62-0) Fish toxicity :	LC50 = 50.6 mg/l Duration of exposure : 96 h	
Crustacean toxicity :	EC50 = 49.1 mg/l Duration of exposure : 48 h	
Aquatic plant toxicity :	ECr50 = 184.57 mg/l Duration of exposure : 72 h	
CALCIUM CARBONATE (CAS: 471-34-1) Fish toxicity :	Species : Oncorhynchus mykiss Duration of exposure : 96 h OECD Guideline 203 (Fish, Acute Toxicity Test)	
Crustacean toxicity :	Species : Daphnia magna Duration of exposure : 48 h OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)	
Algae toxicity :	ECr50 > 14 mg/l Species : Desmodesmus subspicatus Duration of exposure : 72 h OECD Guideline 201 (Alga, Growth Inhibition Test)	
12.1.2. Mixtures		
No aquatic toxicity data available for the mixture.		
12.2. Persistence and degradability		
12.2.1. Substances		
CALCIUM HYDROXIDE (CAS: 1305-62-0) Biodegradability :	no degradability data is available, the substance is considered as not degradiquickly.	
PORTLAND CEMENT CLINKER, CHEMICA Biodegradability :	LS (CAS: 65997-15-1) no degradability data is available, the substance is considered as not degradi quickly.	
12.3. Bioaccumulative potential		
12.3.1. Substances		
CALCIUM CARBONATE (CAS: 471-34-1) Octanol/water partition coefficient :	log Koe < 3.	

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- -
- 14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

- Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure .
H412	Harmful to aquatic life with long lasting effects.

Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS05 : Corrosion

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.